SAFETY DATA SHEET

1. PRODUCT IDENTIFICATION & COMPANY INFORMATION

PRODUCT: Mirrortone 62012 - 62001 TTEM:

Cleaner Polish for Non-Porous Surfaces

MANUFACTURER: Chemcor Chemical Corp. 13770 Benson Avenue Chino, CA 91710

RECOMMENDED USE:

DATE ISSUED : 12/16/2019 SDS REF. No : 620

24 HR. EMERGENCY TELEPHONE NUMBER: INFOTRAC (US Transportation): (800) 535-5053 NON-EMERGENCY TELEPHONE NUMBER:

(909) 590-7234

2. HAZARDS INGREDIENTS & IDENTIFICATION

GHS CLASSIFICATION:

Flammable Serious eve damage/eve irritation

Specific target organ toxicity, single exposure

Aspiration hazard

Environmental hazards **OSHA** defined hazards

Category 1

Category 2A Category 3 narcotic effects

Category 1

Not classified Not classified

GHS LABEL ELEMENT

Hazard Pictograms







SIGNAL WORD: DANGER

HAZARD STATEMENTS: Extremely Flammable. May be Fatal if Swallowed and Enters Airways. Causes Serious Eye Irritation. May Cause **Drowsiness or Dizziness.**

PREVENTION: Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear eye/face protection.

IF SWALLOWED: Do Not induce vomiting. Rinse mouth. Immediately drink 1 to 2 glasses of water or milk. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

If in EYES: In case of contact, immediately flush thoroughly with plenty of cool running water. Remove contact lenses if worn. Continue flushing for at least 15

minutes holding eyelids apart. If irritation persists, get medical attention promptly.

IF on SKIN (or HAIR): In case of contact, immediately flush thoroughly with plenty of cool running water for at least 15 minutes. Immediately remove contaminated clothing and shoes. Wash prior to reuse.

IF INHALED: If discomfort is experienced from exposure to spray mist, the person should employ respiratory protection or leave the contaminated area until proper ventilation is restored. Breathe fresh air. If irritation persists, get medical attention.

STORAGE: Store in a tightly closed container. Do not store near oxidizers, alkalies, acids and bleach. Do not mix with other chemicals. Store away from excessive

DISPOSAL METHOD: Dispose of in accordance with all Local, State and Federal regulations.

EMPTY CONTAINER: Nonrefillable container. Do not reuse or refill container. Before discarding container, rinse thoroughly with water.

OTHER HAZARDS: None known.

3. PHYSICAL DATA/COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight%
hydrotreated light distillate (petroleum)	64742-47-8	20-40%
technical white oil	8042-47-5	20-40%
Other components below reportable levels	N/A	1-2.5%

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. HEALTH HAZARD DATA & FIRST AID MEASURES

EYES: Immediately flush the eyes with large quantities of running water for a minimum of 15 minutes. Hold the eyelids apart during the flushing to ensure rinsing of the entire surface of the eyes and lids with water. DO NOT attempt to neutralize with chemical agents. Obtain medical attention as soon as possible. Oils or ointments should not be used. Continue the flushing for an additional 15 minutes if the physician is not immediately available.

SKIN: Immediately remove contaminated clothing under safety shower. Flush all affected areas with large amounts of water for at least 15 minutes. DO NOT attempt to neutralize with chemical agents. Obtain medical advice immediately.

INGESTION: If swallowed, DO NOT INDUCE VOMITING. Immediately give large quantities of water or milk, if available. If vomiting does occur, give fluids again. Never give anything by mouth to an unconscious person. Call a physician or nearest Poison Control Center immediately.

INHALATION: Remove from contaminated atmosphere. If breathing has ceased, clear the victim's airway and start mouth-to-mouth artificial respiration, which

may be supplemented by the use of a bag-mask respirator, or a manually-triggered, oxygen supply capable of delivering 1 liter/second or more. If the victim is breathing, oxygen may be administered from a demand-type or continuous-flow inhalator, preferably with a physician's advice. Contact a physician immediately. **EYES**: Immediately flush the eyes with large quantities of running water for a minimum of 15 minutes. Hold the eyelids apart during the flushing to ensure rinsing of the entire surface of the eyes and lids with water. DO NOT attempt to neutralize with chemical agents. Obtain medical attention as soon as possible. Oils or ointments should not be used. Continue the flushing for an additional 15 minutes if the physician is not immediately available. NOTES TO PHYSICIAN: Treat symptomatically.

5. FIRE FIGHTING & EXPLOSION DATA/MEASURES

SUITABLE EXTENGUISHING MEDIA: Use extinguishing measures that are appropriate to local circumstances and the surrounding

environment. Water, Carbon Dioxide, Dry Chemical, Foam.

UNSUITABLE EXTENGUISHING MEDIA: SPECIFIC HAZARDS DURING FIRE FIGHTING: Not flammable or combustible.

HAZARDOUS COMBUSTION PRODUCTS: None Known

FIRE FIGHTING EQUIPMENT: Avoid breathing of vapors. Apply water spray to cool fire-exposed containers and structures. Use water spray to disperse vapors. Use Self Contained Breathing Apparatus (SCBA) or NIOSH approved respirator

and protective clothing.

SPECIAL EXTINGUISHING: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local

regulations. In the event of and/or explosion do not breathe fumes.

OTHER CONSIDERATIONS: If material is released, area will become slippery.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PRODCDURES: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate

splil/leak. Avoid illidation, ingestion and contact with skill allo yes. When where are facing contentrations above the exposuse mine and, made as approprient certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP: To contain spilled material, dike area involved. Neutralize with the following acids: vinegar, citric acid, muriatic or hydrochloric acid. To absorb product, use porous material such as diatomaceous earth, sand or a commercial absorbent. Using a shovel, place into leak proof containers.

ENVIRONMENTAL PRECAUTIONS: Do not allow contact with soil, surface or ground water.

7. PRECAUTIONS FOR SAFE HANDLING/STORAGE/USE

SAFE HANDLING: Wash hands thoroughly after handling.

Store in original container in an upright position in a cool, dry area inaccessible to children and pets. Keep away from direct **GENERAL PROCEDURES:**

sunlight and freezing conditions. Do not store near oxidizers, alkalies, acids and bleach.

Do not mix with other chemicals.

STORAGE TEMPERATURE: 0 °C to 50 °C

8. EXPOSURE CONTROLS\PERSONAL PROTECTION (PPE)

OCCUPATIONAL EXPOSURE LIMITS:

Chemical Name	CAS Number	ACGIH TLV	OSHA PEL	NIOSH
hydrotreated light distillate (petroleum)	64742-47-8	N/A	N/L	N/L
technical white oil	8042-47-5	N/A	N/L	N/L

OSHA TABLE COMMENTS: N/L = Not Listed; N/A = Not Available

ENGINEERING CONTROLS: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to acceptable level. Provide eye wash station.

PERSONAL PROTECTIVE EQUIPMENT:

EYES AND FACE: Safety Splash Monogoggles / Face Shield.

SKIN & HAND PROTECTION: Solvent resistant gloves, boots and clothing.

RESPIRATORY: If permissible levels are exceeded use NIOSH mechanical filter/organic vapor cartridge or an air-supplied respirator.

WORK HYGIENIC PRACTICES: When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Avoid accidental spills on skin, wash after use. Wash contaminated clothing prior to reuse.

OTHER USE PRECAUTIONS: Have clean water available for washing. Provide adequate ventilation or use mechanical devices.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPERANCE/PHYSICAL STATE: Liquid COLOR: Clear Red ODOR: Fresh Fragrance pH: n/a

FLASH POINT: 130°F

ODOR THRESHOLD: No Data Available MELTING POINT/FREEZING POINT: No Data Available BOILING POINT: >212°F

EVAPORATION RATE: (Water=1):>1 (slower than water)

FLAMMABILITY (SOLID, GAS): No Data Ávailable UPPER EXPLOSION LIMIT: SPECIFIC GRAVITY: No Data Available (H₂O=1): .86LOWER EXPLOSION LIMIT: No Data Available VAPOR PRESSURE: No Data Available

RELATIVE VAPOR DENSITY: (Air=1):>1 (heavier than air)

RELATIVE DENSITY: No Data Available WATER SOLUBILITY: 100%

SOLUBIILITY IN OTHER SOLVENTS: No Data Available PARTITION COEFFICIENT: N-OCTANOLI/WATER: No Data Available AUTOIGNITION TEMPERATURE: No Data Available THERMAL DECOMPOSITION: No Data Available VISCOSITY, KINEMATIC: No Data Available EXPLOSIVE PROPERTIES: No Data Available OXIDIZING PROPERTIES: MOLECULAR WEIGHT: No Data Available No Data Available VOC: No Data Available

10. STABILITY AND REACTIVITY

STABILITY: HAZARDOUS POLYMERIZATION: Stable

Will NOT Occur

CONDITIONS TO AVOID: Avoid contact with open flame, ignition sources, and poor ventilation. Keep from freezing.

POLYMERIZATION: Will NOT Occur HAZARDOUS DECOMPOSITION PRODUCTS: CO, CO2, Nitrogen INCOMPATIBLE MATERIALS : Strong Oxidizers and acids

11. TOXICOLOGICAL INFORMATION

INFORMATION ON LIKELY ROUTES OF EXPOSURE: Inhalation, Ingestion, Eye contact, Skin contact.

SYMPTOMS OF EXPOSURE:

Inhalation:

Causes serious eye irritation.

Skin Contact: No adverse effects due to skin contact are expected.

Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia. Pain, nausea, vomiting and diarrhea Ingestion:

May cause drowsiness and dizziness. Headache. Nausea, vomiting. Narcotic effects. Prolonged inhalation may be harmful. May cause nasal discomfort and coughing.

SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL AND TOXICOLOGICAL CHARCTERISTICS:

Skin Corrosion/Irritation: Prolonged skin contact may cause temporary irritation.

Serious Eye Damage/Eye Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitization

, Respiratory Sensitization: Not available.

Skin Sensitization:

This product is not expected to cause skin sensitization. No data available to indicate product or any components present at greater than 0.1% are Germ Cell Mutagenicity:

mutagenic or genotoxic.

Carcinogenicity: This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): Not listed. Reproductive Toxicity:

This product is not expected to cause reproductive or developmental effects.

May cause drowsiness and dizziness.

Specific Target Organ Toxicity - Single Exposure: Specific Target Organ Toxicity - Repeated Exposure: Not classified.

Aspiration Hazard: May be fatal if swallowed and enters airways. Chronic Effects: Prolonged inhalation may be harmful.

NUMERICAL MEASURES OF TOXICITY:

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

COMPONENT ACUTE TOXICITY INFORMATION

Chemical Name	CAS Number	Oral LD50	Dermal LD50	Inhalation LC50
hydrotreated light distillate (petroleum)	64742-47-8	>5000 mg/kg (Rat)	>2000 mg/kg (Rabbit) >2000 mg/kg, 24 Hours (Rabbit)	>7.5 mg/l, 6 Hours (Rat) >4.6 mg/l, 4 Hours (Rat)
technical white oil	8042-47-5	=5000.0001 mg/kg (Rat)	>2000 mg/kg, 24 Hours (Rabbit)	2.18 mg/l, 4 Hours (Rat)

^{*}Estimates for product may be based on additional component data not shown.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION:

ECOTOXICITY

Chemical Name (CAS)	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
hydrotreated light distillate (petroleum) (64742-47-8)	Not Available	LC50: Rainbow Trout, Donaldson Trout (Oncorhynchus mykiss) 2.9 mg/l, 96 hours	Not Available	Not Available
technical white oil (8042-47-5)	Not Available	LC50: 10000.0001, 96 hours	Not Available	Not Available

Persistence and Degradability: No Informatin Available No Informatin Available **Bioaccumulation:** Other Adverse Effects: No Informatin Available

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of in accordance with all Local, State and Federal regulations.

EMPTY CONTAINER: Nonrefillable container. Do not reuse or refill container. Before discarding container, rinse thoroughly with water.

RCRA/EPA WASTE INFORMATION: N/A

14. TRANSPORT INFORMATION

THE SHIPPER/CONSIGNOR/SENDER IS RESPONSIBLE TO ENSURE THAT THE PACKAGING, LABELING, AND MARKINGS ARE IN COMPLIANCE WITH THE SELECTED MODE OF TRANSPORT.

DOT (DEPARTMENT OF TRANSPORTATION)

AIR TRANSPORT (IATA): LAND TRANSPORT: SEA TRANSPORT (IMDG/IMO): Not dangerous goods Not dangerous goods Not dangerous goods

15. REGULATORY INFORMATION

EPCRA – EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW CERCLA REPORTABLE QUANTITY

Hazardous	CAS Number	Component	Calculated Component
Components		RO (Lbs.)	RO (lbs.)
None	N/A	N/A	N/A

UNITED STATES:

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All Chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances. Not Regulated. SARA (SUPERFUND AMENDMENRS AND REAUTHORIZATION ACT) SARA 304 EXTREMLY HAZARDOUS SUBSTANCES REPORTABLE QUANTITY:

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards: Acute Health Hazard

SARA 302:

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313:

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 313. **CALIFORNIA PROP 65:**

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

16. OTHER INFORMATION

NFPA Health Hazards: 1 Flammability: 1 Instability: 0 Special: N/A

HMIS Flammability: 1 Physical Hazards: 0 Health Hazards: 1

Revision Date: 12/16/2019

Reasons For Revision: No Information Available

> **MANUFACTURER DISCLAIMER:** We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind, express or implied, and we assume no responsibility for any loss, damage, or expense, direct or consequential, arising out of their use.

> > ---- End of Safety Data Sheet ----